CROSSWALK: USG IT HANDBOOK COMPANION GUIDE

VERSION 3.0

3/1/2023

PUBLIC

Abstract: The purpose of this companion guideline is to complement the USG IT Handbook by providing a NIST Cybersecurity Framework (CSF) centered perspective with the corresponding standards and regulations crosswalked to the CSF.

TABLE OF CONTENTS

CROSSWALK: A USG IT Handbook Companion Guide 1
Revision & Signoff 2
Table of Contents 3
Introduction 4
USG IT Handbook Crosswalk to NIST Cybersecurity Framework (CSF)/Privacy Framework (PF) 5
Section 1. Information Technology (IT) Governance 5
Section 2. Project and Service Administration 5
Section 3. Information Technology Management 5
Section 5. Cybersecurity 7
Section 6. Data Privacy 19
Section 8. Mobile Device Management 19
NIST Cybersecurity Framework Crosswalk to References 21
Identify (ID) 21
Asset Management 21

3.1.1.1 Information System User Account Management Procedures

Critical systems identification plan and communicated. Access permissions/authorizations are managed, using principles of least privilege and separation of duties.

- CSF v1.1, ID.BE-3, PR.AC-4
- PF v1.0, PR.AC-4

3.1.2: Managing Multifactor Authentication

Critical systems identification plan and communicated and Authentication of authorized devices (MFA).

- CSF v1.1, ID.BE-3, PR.AC-7
- PF v1.0, PR.AC-6

3.2: Log Management

Purpose, objectives and standards. Maintenance and repair of organizational assets are performed and logged, with approved and controlled tools; and audit/log records are determined, documented, implemented, and reviewed in accordance with policy.

- CSF v1.1, PR.PT-1

Critical systems dependencies established and communicated.

- CSF v1.1, ID.BE-4

3.4.1: Network Services Standard

Communications and control networks are protected.

- CSF v1.1, PR.PT-4
- PF v1.0, PR.PT-3

SECTION 5. CYBERSECURITY

Program charter, organization and administration, incident management, asset management, risk management, systems categorization, information classification, endpoint security, awareness training, required reporting, password security, DNS security and email use and 4 5.n.5u674s.567e5,, P2T0.4

- PF v1.0, GV.PP-3

Communication and data flows mapped (diagrams).

- CSF v1.1, ID.AM-3
- PF v1.0, ID.IM-P8

Data-at-rest is protected.

- CSF v1.1, PR.DS-1
- PF v1.0, PR.DS-P1

A vulnerability management plan is developed and implemented.

- CSF v1.1, PR.IP-12
- PF v1.0, PR.PO-P10

Removable media is protected, and its use restricted according to policy.

- CSF v1.1, PR.PT-2
- PF v1.0, PR.PT-P1

The principle of least functionality is incorporated by configuring systems to provide only essential capabilities.

- CSF v1.1, PR.PT-3
- PF v1.0, PR.PT-P2

A baseline of network operations and expected data flows for users and systems is established and managed.

- CSF v1.1, DE.AE-1

Vulnerability scans are performed.

- CSF v1.1, DE.CM-8

5.1.4: Appropriate Usage Policy (AUP) Guidelines

Cybersecurity roles and responsibilities are coordinated and aligned with internal roles and external partners.

- CSF v1.1, ID.GV-2
- PF v1.0, GV.PP-4

5.2.1: Cybersecurity Organization

Role in the data processing ecosystem identified and communicated.

- CSF v1.1, ID.BE
- PF v1.0, ID.BE-1

5.2.2: Information Security Officer (ISO)

Event detection information is communicated.

- CSF v1.1, DE.DP-4

5.3.3: Incident Follow-up Report

Information is shared consistent with response plans.

- CSF v1.1, RS.CO-3

5.3.4: Incidents Involving Personal Information

Personnel know their roles and order of operations when a response is needed.

- CSF v1.1, RS.CO-1, PR.IP-9

Incident Response/Business Continuity and Incident Recovery/Disaster Recovery plans are in place and managed.

- CSF v1.1, PR.IP-9, RS.CO-1
- PF v1.0, PR.PT-7

5.3.5: USG Computer Security Incident Management Requirements

Personnel know their roles and order of operations when a response is needed.

- CSF v1.1, RS.CO-1

5.3.6: USG Incident Response and Reporting Requirements

Information is shared consistent with response plans.

- CSF v1.1, RS.CO-3

5.4: USG Information Asset Management and Protection

Physical devices and systems within the organization are inventoried.

- CSF v1.1, ID.AM-1
- PF v1.0, ID.IM-P1, P2, P7

Assets are formally managed throughout removal, transfers, and disposition.

- CSF v1.1, PR.DS-3
- PF v1.0, PR.DP-P3

5.4.1: USG Information Asset Management Requirements

Software platforms and applications within the organization are inventoried.

- CSF v1.1, ID.RA-4
- PF v1.0, ID.RA-4

Risk responses are identified and prioritized.

- CSF v1.1, ID.RA-5
- PF v1.0, ID.RA-5

Detected events are analyzed to understand attack targets and methods.

- CSF v1.1, DE.AE-2

Event data are collected and correlated from multiple sources and sensors.

- CSF v1.1, DE.AE-3

Impact of events is determined.

- CSF v1.1, DE.AE-4

Newly identified vulnerabilities are mitigated or documented as accepted risks.

- CSF v1.1, RS.MI-3

5.5.3: USV

- CSF v1.1, DE.CM-1

Malicious code is detected.

- CSF v1.1, DE.CM-4

The physical environment is monitored to detect potential cybersecurity events.

- CSF v1.1, DE.CM-2

Personnel activity is monitored to detect potential cybersecurity events.

- CSF v1.1, DE.CM-3

Unauthorized mobile code is detected.

- CSF v1.1, DE.CM-5

5.8: Endpoint Security

Physical devices and systems within the organization are inventoried.

- CSF v1.1, ID.AM-1
- PF v1.0, ID.IM-P1, P2, P7

Monitoring for unauthorized personnel, connections, devices, and software is performed.

- CSF v1.1, DE.CM-7

5.8.1: Purpose

Physical devices and systems within the organization are inventoried.

- CSF v1.1, ID.AM-1
- PF v1.0, ID.IM-P1, P2, P7

5.8.2: Discovery and Inventory

Physical devices and systems within the organization are inventoried.

- CSF v1.1, ID.AM-1
- PF v1.0, ID.IM-P1, P2, P7

5.8.3: Anti-virus, Anti-malware, Anti-spyware Controls

Malicious code is detected.

- CSF v1.1, DE.CM-4

5.8.4: Operating System (OS) / Application Patch Management

Baseline configuration of IT systems created and maintained incorporating concept of least functionality.

- CSF v1.1, PR.IP-1
- PF v1.0, PR.PC-P1

5.8.5 Maintenance

Maintenance and repair of organizational assets are performed and logged, with approved and controlled tools

- CSF v1.1, PR.MA-1
- PF v1.0, PR.MA-P1

Remote asset maintenance is approved, logged, and performed in a manner that prevents unauthorized access.

- CSF v1.1, PR.MA-2
- PF v1.0, PR.MA-P2

5.9: Security Awareness, Training and Education

All users are informed and trained.

- CSF v1.1, PR.AT-1
- PF v1.0, GV.AP-T1

5.11.7: Unnecessary Services

Theprinciple of least functionality is incorporated by configuring systems to provide only essential capabilities.

-

8.1: General Requirements to Manage Mobile Devices

Remote access is managed.

- CSF v1.1, PR.AC-3
- PF v1.0, PR.AC-3

Data-at-rest is protected.

- CSF v1.1, PR.DS-1

NIST CYBERSECURITY FRAMEWORK CROSSWALK TO REFERENCES

IDENTIFY (ID)

ASSET MANAGEMENT (ID.AM)

The data, personnel, devices, systems, and facilities that enable the organization to achieve business purposes are identified and managed consistent with their relative importance to business objectives and the organization's risk strategy. To demonstrate this, USG organizations must ensure:

ID.AM-1: Physical Inventory

Physical devices and systems within the organization are inventoried

- CIS CSC v8.1
- COBIT 5 BAI09.01, 02
- FERPA (PTAC), Inventory of Assets
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(ii)(A), 164.310(a)(2)(ii), 164.310(d)
- ISO/IEC 27001:2013 A.8.1.1, 2
- NIST Privacy Framework v1.0, ID.IM-P1, P2, P7
- NIST SP 800-53 Rev. 4 CM-8, PM-5
- NIST SP 800-171 Rev. 1, 3.4.1
- PCI DSS V3.2.1, 2.4, 9.9, 11.1.1, 12.3.3
- State PSG, PSG-002
- USG IT Handbook v2.9.7, 5.4, 5.8

ID.AM-2: Software Inventory

Software platforms and applications within the organization are inventoried

- CIS CSC v8.1-2, 16.4
- COBIT 5 BAI09.01, 02, 05
- FERPA (PTAC), Inventory of Assets
- GLBA (NIST SP 800-171 REV. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(ii)(A) &
- ISO/IEC 27001:2013 A.8.1.1, 2, A.12.5.1
- NIST Privacy Framework v1.0, ID.IM-P1, P7
- NIST SP 800-53 Rev. 4 CM-8
- NIST SP 800-171 Rev. 1, 3.4.1
- PCI DSS V3.2.1, 2.4, 12.3.7
- State PSG, PSG-002
- USG IT Handbook v2.9.7, 5.4.1

ID.AM-3: Data Flow Diagram

Organizational communication and data flows are mapped

- CIS CSC v8, 3.8
- COBIT 5, DSS05.02
- GLBA (NIST SP 800-171 REV. 1)
- HIPAA Security Rule 45 C.F.R. 164.308(a)(1)(ii)(A), 164.308(a)(3)(ii)(A), 164.308(a)(8), 164.310(d)
- ISO/IEC 27001:2013, A.13.2.1
- NIST Privacy Framework v1.0, ID.IM-P8
- NIST SP 800-53 Rev. 4, AC-4, CA-3, CA-9, PL-8
- NIST SP 800-171 Rev. 1, 3.1.3, 3.13.1
- PCI DSS v3.2.1, 1.1.2-3
- USG IT Handbook

- CIS CSC v8.1
- COBIT 5, APO01.02, APO07.06, APO13.01, DSS06.03
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(4)(ii)(B), 164.308(b)(1), 164.314
- ISO/IEC 27001:2013, A.6.1.1
- NIST Privacy Framework V1.0, GV.PO-P3
- NIST SP 800-53 Rev. 4, CP-2, PS-7, PM-11
- PCI DSS V3.2, 12.4, 12.5, 12.8.5
- USG IT Handbook, AC-2.9.7, 5.1.3

BUSINESS ENVIRONMENT (ID.BE)

USG organization's must understand and pri1 Tw 1.95.7 (at)- Tc 0 Tw E -0.002 Tc 0.(010s)9]TJ -0.001Tc -0.007 T

ID.GV-2: Roles and Responsibilities

Cybersecurity roles & responsibilities are coordinated and aligned with internal roles and external partners

- CIS CSC v7.1, 15.2, 17.4
- COBIT 5, APO01.02, APO10.03, APO13.12, DSS05.04
- FERPA (PTAE), Personnel Security
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(i), 164.308(a)(2), 164.308(b), 164.314
- ISO/IEC 27001:2013, A.6.1.1, A.7.2.1, A.15.1.1
- NIST Privacy Framework V1.0, GV.PO-P4
- NIST SP 800-53 Rev. 4, PM-1, PM-2, PS-7
- PCI DSS v3.2.1 12.4, 12.5, 12.8, 12.9
- State PSG, SS-008-001, PS-008-003.2
- USG Business Procedures Manual, 12
- USG IT Handbook, 2.9.7, 5.1, 5.5, 5.9

ID.GV-3: Compliance Management x

- PCI DSS v3.2.1, 12.2
- State PSG, PS-8, SI-3
- USG IT Handbook V2.9.7, 5.5

ID.RA-4: Impact and Likelihood Assessment

Potential business impacts and likelihoods are identified

- COBIT 5, DSS04.02
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(i), 164.308(a)(1)(ii)(A), 164.308(a)(1)(ii)(B), 164.308(a)(6), 164.308(a)(7)(ii)(E), 164.308(a)(8), 164.316(a)
- ISO/IEC 27001:2013, A16.1.6, Clause 6.1.2
- NIST Privacy Framework V1.0, ID.RA-P4

- State PSG, PSS-031
- USG IT Handbook, 2.9.7, 5.5

RISK MANAGEMENT STRATEGY (ID.RM)

USG organizations must ensure priorities, constraints, risk tolerances, and assumptions are established and used to support operational risk decisions. This is demonstrated by showing:

ID.RM-1: Risk Management Procedures

Risk management processes are established, managed, and agreed to by organizational stakeholders

- COBIT 5, APO12.04, APO12.05, APO13.02, BAI02.03, BAI04.02
- HIPAA Security Rule 45 C.F.R. § 164.308(a)(1)(ii)(B)
- ISO/IEC 27001: 2013, Clause 6.1.3, Clause 8.3, Clause 9.3
- NIST Privacy Framework V1.0, GV.RM-P1
- NIST SP 800-53 Rev. 4, PM-9
- PCI DSS v3.2.1, 12.2
- State PSG, PSS-031, SS-08-041
- USG IT Handbook, 2.9.7, 5.5

ID.RM-2: Risk Tolerance

Organizational risk tolerance is determined and clearly expressed

- COBIT 5, APO12.06
- HIPAA Security Rule 45 C.F.R. § 164.308(a)(1)(ii)(B)
- ISO/IEC 27001:2013, Clause 6.1.3, Clause 8.3
- NIST Privacy Framework V1.0, GV.RM-P2
- NIST SP 800-53 Rev. 4, PM-9
- PCI DSS v3.2.1, 12.2
- State PSG, PSS-031

ID.RM-3: Strategic Analysis

The organization’s determination of risk tolerance is informed by its role in the Ii-3 (rg)2C2_0 10i iS: (rm)4.6 (e)6

- State PSG, SS-08-047
- USG IT Handbook, V2.9.7, 5.11

PR.AC-6: Identity Proofing

Identities are proofed (verified) and bound to credentials and asserted in interactions

- COBIT 5, DSS05.04, 07, DSS06.03
- FERPA (PTAC), Authentication, Personnel Security
- HIPAA Security Rule 45 C.F.R. 164.308(a)(4)(ii)(B), 164.310(a)(1), 164.310(b), 164.312(a)(1), 164.312(b), 164.312(c), 164.312(e)
- ISO/IEC 27001:2013, A.7.1.1, A.9.2.1
- NIST Privacy Framework V1.0, PR.AC-P6
- NIST SP 800-53 Rev.4, AC-1, 2, 3, 16, 19, 24, IA-1, 2, 4, 5, 8, PE-2, PS-3
- PCI DSS, 3.2.1 7.1.4, 8.1, 8.2.2
- USG IT Handbook, V2.9.7, 3.1

PR.AC-7: User and Device Authentication

Users, devices, and other assets are authenticated (e.g., single-factor or multifactor authentication) commensurate with the risk of the transaction (e.g., individuals' security and privacy risks and other organizational risks)

- CIS CSC, v8 3-5, 12.3, 12.6, 13.5
- COBIT 5, DSS05.04, 10, DSS06.10
- FERPA (PTAC), Authentication, Mobile Devices
- HIPAA Security Rule 45 C.F.R. 164.308eTA5tyn

- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. § 164.308(a)(5)
- ISO/IEC 27001:2013, A.7.2.2, A.12.2.1
- NIST Privacy Framework V1.0, PR.AT-P1
- NIST SP 800-53 Rev.4, AT-2, PM-13
- NIST SP 800-171 Rev.1, 3.2.1-3
- PCI DSS v3.2.1, 6.7, 7.3, 8.4, 9.9.3, 12.4, 12.6
- State PSG, FSI-010, SSI-008-012
- USG IT Handbook V2.9.7, 5.9

PR.AT-2: Roles-Based Training – Privilege Users

Privileged users understand roles & responsibilities

- CIS CSC v8, 14.9, 16.9
- COBIT 5, APO07.02, DSS05.04, DSS06.03
- FERPA (PTAC), Emailing Confidential Data
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(2), 164.308(a)(3)(i), 164.308(a)(5)(i), 164.308(a)(5)(ii)(A), 164.308(a)(5)(ii)(B), 164.308(a)(5)(ii)(C), 164.308(a)(5)(ii)(D)
- ISO/IEC 27001:2013, A.6.1.1, A.7.2.2
- NIST Privacy Framework V1.0, PR.AT-P1
- NIST SP 800-53 Rev.4, AT-3, PM-13
- NIST SP 800-171 Rev.1, 3.2.1-2
- PCI DSS v3.2.1, 1.1.5, 7.1, 7.2, 7.3, 12.4, 12.6
- USG IT Handbook V2.9, 5.7.9

PR.AT-3: Roles-Based Training – 3rd Party Stakeholders

Third-party stakeholders (e.g., suppliers, customers, and partners) understand roles & responsibilities

- CIS CSC v8, 15.4
- COBIT 5, APO07.03, 06, APO10.04-05
- FERPA (PTAC), Emailing Confidential Data
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(4), 314(a)(1), 164.314(a)(2)(i), 164.314(a)(2)(ii)
- ISO/IEC 27001:2013, A.6.1.1, A.7.2.2.
- NIST Privacy Framework V1.0, PR.AT-P4
- NIST SP 800-53 Rev.4, PS-7, SA-9, 16
- PCI DSS v3.2.1, 12.8.2, 12.9
- USG IT Handbook V2.9, 5.7.9

PR.AT-4: Roles-Based Training – Senior Execut.2t C 5(,)Tj4r

- FERPA (PTAC), Emailing Confidential Data
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(2), 164.308(a)(3)(i), 164.308(a)(5)(i), 164.308(a)(5)(ii)(A), 164.308(a)(5)(ii)(B), 164.308(a)(5)(ii)(C), 164.308(a)(5)(ii)(D)
- ISO/IEC 27001:2013, A.6.1.1, A.7.2.2
- NIST Privacy Framework V1.0, CT.AT-P2
- NIST SP 800-53 Rev.4, AT-3, PM-13
- NIST SP 800-171 Rev.1, 3.2.1-2
- PCI DSS v3.2.1, 12.4, 12.5
- USG IT Handbook, 2.9.7, 5.9

PR.AT-5: Roles-Based Training – Cybersecurity

- PCI DSS v3.2.1 (all), 8.2.1
- State PSG, SS-008-003, SS-15-002, PS-08-026
- USG IT Handbook v2.9.7, 5.1, 5.14, 8.3

PR.DS-2: Data-in-Transit Protections

Data-in-transit is protected

3

PR.DS-8: Integrity Checking Hardware

Integrity checking mechanisms are used to verify hardware integrity.

- CIS CSC v8.14
- COBIT 5 BAI03.05
- ISO/IEC 27001:2013 A.11.2.4
- NIST Privacy Framework V1.0 PR.DS-P8
- NIST SP 800-53 Rev.4, SA-10, SI-7
- PCI DSS v3.2.1, 9.9.2
- USG IT Handbook V2.9 5.7.11

INFORMATION PROTECTION PROCESSES AND PROCEDURES (PR.IP)

Security policies (that address purpose, scope, roles, responsibilities, management commitment, and coordination among USG organizations), processes, and procedures are maintained and used to manage protection of information systems and assets. This is accomplished by ensuring:

PR.IP-1: Baselining Configurations

A baseline configuration of information technology is created and maintained

- CIS CSC v8 2.7, 4.1, 4.3, 9.4, 9.4, 16.7, 17.7
- COBIT 5 BAI10.01-03,05
- [illegible]

PR.IP-3: Change Control

Configuration change control processes are in place

- COBIT 5, BAI01.06, BAI06.01
- FERPA (PTAC), Secure Configurations
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. § 164.308(a)(8)
- ISO/IEC 27001:2013, A.12.1.2, A.12.5.1, A.12.6.2, A.14.2.4
- NIST Privacy Framework V1.0 CT.PO-P2
- NIST SP 800-53 Rev.4, CM-3, CM-4, SA-10
- NIST SP 800-171 Rev.1, 3.4.3-5
- PCI DSS v3.2.1, 6.4
- State PSG GM-17-001, PS-08-015, SS-08-026
- USG IT Handbook V2.9.7, 5.1

PR.IP-4: Backup and Recovery

Backups of information are conducted, maintained, and tested periodically

- CIS CSC v8, 11.2-3
- CMMC v0.6, RE-CO-29-P1137
- COBIT 5, APO13.01, DSS01.01, DSS04.07
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(7)(ii)(A), 164.308(a)(7)(ii)(B), 164.308(a)(7)(ii)(D), 164.310(a)(2)(i), 164.310(d)(2)(iv)
- ISO/IEC 27001:2013, A.12.3.1, A.17.1.2-3, A.18.1.3
- NIST Privacy Framework V1.0 CT.PO-P3
- NIST SP 800-53 Rev.4, CP-4, CP-6, CP-9
- PCI DSS v3.2.1, 9.5.1, 12.10.1, 12.10.2
- State PSG CP-PS-08-025, PS-08-026, GM-13-001
- USG IT Handbook V2.9.7, 3.1

PR.IP-5: Compliance

Policy and regulations regarding the physical operating environment for organizational assets are met

- COBIT 5, DSS01.04, DSS05.05
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(7)(i), 164.308(a)(7)(ii)(C), 164.310(a)(1), 164.310(a)(2)(iii)
- ISO/IEC 27001:2013, A.11.1.4, A.11.2.1-
- NIST Privacy Framework V1.0 CT.PO-P4
- NIST SP 800-53 Rev.4, PE-10, 12-

- CIS CSC v8.1, 3.5
- COBIT 5 BAI09.03, DSS05.06
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.310(d)(2)(i), 164.310(d)(2)(ii)
- ISO/IEC 27001:2013 A.8.2.3, A.8.3.1, A.8.3.2, A.11.2.7
- NIST Privacy Framework V1.0 CT.DM-P5
- NIST SP 800-53 Rev.4 MP-6
- NIST SP 800-171 Rev.1, 3.8.3
- PCI DSS v3.2.1, 3.1, 9.8
- State PSG, SS-08-035
- USG IT Handbook V2.9.7, 5.14

PR.IP-7: Process Improvement

- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(6), 164.308(a)(7), 164.310(a)(2)(i), 164.312(a)(2)(ii)
- ISO/IEC 27001:2013, A.16.1.1, A.17.1.1-
- NIST Privacy Framework V1.0 ID.BE-P1
- NIST SP 800-53 Rev.4, CP-2, IR-2, IR-3, IR-4, IR-8, IR-9, IR-10
- NIST SP 800-171 Rev.1, 3.6.1-2
- PCI DSS v3.2.1, 11.1.2, 12.5.3, 12.10
- State PSG SS-08-045, SS-08-046
- USG IT Handbook V2.9.7, 3.3, 5.3

- FERPA (PTAC), Automated Vulnerability Scanning, Secure Configuration
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(i), 164.308(a)(1)(ii)(A), 164.308(a)(1)(ii)(B)
- ISO/IEC 27001:2013, A.12.6.1, A.14.2.3, A.6.1.3, A.16.1.5, A.18.2.2-
- NIST Privacy Framework V1.0 ID.RA-P, GV.PO-P10
- NIST SP 800-53 Rev.4, RA-5, SI-2
- NIST SP 800-171 Rev.1, 3.11.2-3, 3.12.2-3, 3.14.1-3
- PCI DSS v3.2.1, 6.1, 6.2, 6.5, 11.2
- State PSG SA-10-010
- USG IT Handbook V2.9.5, 5.1

MAINTENANCE (PR.MA)

Maintenance and repairs of information system components is performed consistent with policies and procedures. USG organizations must show:

PR.MA-1: Maintenance Program

Maintenance and repair of organizational assets is performed and logged in a timely manner, with approved and controlled tools

- COBIT 5, BAI03.10, BAI09.02-03
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(3)(ii)(A), 164.310(a)(2)(iv)
- ISO/IEC 27001:2013, A.11.1.2, A.11.2.4-
- NIST Privacy Framework V1.0 ID.RA-P1
- NIST SP 800-53 Rev.4, MA-2-3,5-6
- NIST SP 800-171 Rev.1, 3.7.1-4, 3.7.6
- PCI DSS v3.2.1, 6.2, 9.9.3
- USG IT Handbook V2.9.7, 2.1, 3.2, 5.8

PR.MA-2: Remote Maintenance Program

Remote maintenance of organizational assets is approved, logged, and performed in a manner that prevents unauthorized access.

- CIS Controls is

- USG IT Handbook V2.9, 78

PROTECTIVE TECHNOLOGY (PR.PT)

Technical cybersecurity solutions are managed to ensure the cybersecurity and resilience of USG systems and assets, consistent with related policies, procedures, and agreements.B1ict 39.6, edu

- FERPA (PTAC), Unnecessary Services
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(3), 164.308(a)(4), 164.310(a)(2)(iii), 164.310(b), 164.310(c), 164.312(a)(1), 164.312(a)(2)(i), 164.312(a)(2)(ii), 164.312(a)(2)(iv)
- ISO/IEC 27001:2013 A.9.1.2
- NIST Privacy Framework V1.0 PR.PT-P2
- NIST SP 800-53 Rev.4, AC-3, CM-7
- NIST SP 800-171 Rev.1, 3.1.1-2, 3.4.6-8
- PCI DSS v3.2.1 1.2, 7.1, 7.2, 9.3
- State PSG SS-08-047
- USG IT Handbook V2 2.9.7, 5.1, 5.11

PR.PT-4: Network Access Control

Communications and control networks are protected

- COBIT 5, DSS05.02, APO13.01
- FERPA (PTAC), Firewalls and IDPS
- GLBA (NIS

- COBIT 5, DSS01.04-
- FERPA (PTAC), Physical Security, Secure Configurations
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule

- ISO/IEC 27001:2013 A.14.2.8
- NIST SP 800-53 Rev.4 CA-2, CA-7, PE-3, PM-14, SI-3, SI-4
- NIST SP 800-171 Rev.1 3.10.4, 3.12.1, 3.12.3
- PCI DSS v3.2.1 10.6.1, 10.9, 11.2, 11.3, 12.10
- USG IT Handbook V2 2.9.7, 5.3

DE.DP-4: Information Sharing

Event detection information is communicated to appropriate parties

- CIS CSC v7.1 7.5
- COBIT 5 APO08.04, APO12.06, DSS05.02
- FERPA (PTAC), Audit and Compliance Monitoring
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(6)(ii), 164.314(a)(2)(i)(C), 164.314(a)(2)(iii)
- ISO/IEC 27001:2013 A.16.1.2, 3
- NIST SP 800-53 Rev.4 AU-6, CA -

- ISO/IEC 27001:2013, A.12.4.1,3, A.16.1.5
- NIST SP 800-53 Rev.4, AU-6, CA-7, IR-4-5, PE-6, SI-4
- NIST SP 800-171 Rev.1, 3.3.5, 3.6.1-2
- PCI DSS v3.2.1, 10.6.3, 11.5.1, 12.5.2, 12.10.5
- USG IT Handbook V2.9.7, 5.3

RS.AN-2: Impact Understood

The impact of the incident is understood.

- COBIT 5, DSS02.02
- FERPA (PTAC), Incident Handling
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(6)(ii), 164.308(a)(7)(ii)(B), 164.308(aident i1 (C1-2.3 (),)6.1

RS.AN-5: Vulnerability Disclosure Response

Processes are established to receive, analyze and respond to vulnerabilities disclosed to the organization from internal and external sources (e.g., internal and external testing, security bulletins, or security

- CIS CSC v8, 17.5
- COBIT 5, DSS03.04
- Audit and Compliance Monitoring, Incident Handling, Secure Configurations
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(5)(ii)(B), 164.308(a)(5)(ii)(C), 164.308(a)(6)(ii), 164.314(a)(2)(i)(C)
- ISO/IEC 27001:2013, A.16.1.2, Clause 7.4, Clause 16.1.2
- NIST SP 800-53 Rev.4, CA-2, CA-7, CP-2, IR-4, IR-8, PE-6, RA-5, SI-4
- PCI DSS v3.2.1, 12.10
- USG IT Handbook, IV-2.9.7, 5.3

RS.CO-4: Coordination

Coordination with stakeholders occurs consistent with response plans

- CIS CSC v8, 17.5
- COBIT 5, DSS03.04
- FERPA (PTAC), Incident Handling
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(6), 164.308(a)(7), 164.310(a)(2)(i), 164.312(a)(2)(ii)
- ISO/IEC 27001:2013, Clause 7.4
- NIST SP 800-53 Rev. 4, CP-2, IR-4, IR-8
- NIST SP 800-171 Rev.1, 3.6.1
- PCI DSS v3.2.1, 12.10.1

RS.CO-5: Information Sharing – External

Voluntary information sharing occurs with external stakeholders to achieve broader cybersecurity situational awareness

- COBIT 5, BAI08.04
- HIPAA Security Rule 45 C.F.R. § 164.308(a)(6)
- NIST SP 800-53 Rev.4, PM-15, SI-5
- PCI DSS 3.0, 12.10

IMPROVEMENTS (RS.IM)

Organizational response activities are improved by incorporating lessons learned from current and previous detection/response activities. USG organizations must show:

RS.IM-1: Lessons Learned

- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(7)(ii)(D), 164.308(a)(8), 164.316(b)(2)(iii))
- ISO/IEC 27001:2013, A.16.1.6, Clause 10
- NIST SP 800-53 Rev.4, CP-2, IR-4, IR-8
- NIST SP 800-171 Rev. 1, 3.6.2-
- PCI DSS v3.2.1, 12.10.6
- USG IT Handbook V2.9, 5.7.3

RS.IM-2: Procedures Updated

Response strategies are updated.

- CIS CSC v7.1, 7.8
- COBIT 5, BAI01.13, DSS04.08
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security (a)BDC /C15 (A)0.AAFre90.6 02.1 .70 Tc§i0

- NIST SP 800-53 Rev.4, IR-4
- NIST SP 800-171 Rev.1, 3.6.1-2
- PCI DSS v3.2.1, 11.5.1, 12.5.2
- USG IT Handbook V2.9.7, 5.3

RS.MI-3: Vulnerability Mitigation

Newly identified vulnerabilities are mitigated or documented as accepted risks

- COBIT 5, APO12.06
- FERPA (PTAC), Automated Vulnerability Monitoring, Secure Configuration
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(1)(ii)(A), 164.308(a)(1)(ii)(B), 164.308(a)(6)(ii)
- ISO/IEC 27001:2013, A.12.6.1
- NIST SP 800-53 Rev.4, CA-7, RA-3, RA-5
- NIST SP 800-171 Rev.1, 3.11.1-3, 3.12.2, 3.12.4, 3.14.1
- PCI DSS v3.2.1, 6.1, 6.2, 10.6.3, 11.2, 11.5.1, 12.5.2, 12.10
- USG IT Handbook V2.9.7, 5.5

RESPONSE PLANNING (RS.RP)

Response processes and procedures are executed and m0.7 pr.

RC.RP-1: Recovery Plans Executed and Tested

Recovery plans are executed during or after an event

- COBIT 5 APO12.06, DSS02.05, DSS03.04
- GLBA (NIST SP 800-171 Rev. 1)
- HIPAA Security Rule 45 C.F.R. §§ 164.308(a)(7), 164.310(a)(2)(i)
- ISO/IEC 27001:2013, A.16.1.5
- NIST SP 800-53 Rev.4, CP-10, IR-4, IR-8
- NIST SP 800-171 Rev.1, 3.6.1-2
- PCI DSS v3.2.1 12.10.6
- State PSG P, SS-08-025, SS-08-004, SS-08-046
- USG IT Handbook V2.9.7, 3.3.1

IMPROVEMENTS (RS.IM)

Recovery planning and processes are improved by incorporating lessons learned into future activities ( )10.6 (in

COMMUNICATIONS

SECTION 12: DATA GOVERNANCE AND MANAGEMENT

Governance structures and procedures; management documentation, elements, definitions, availability

APPENDIX A: REFERENCES

CIS	Critical Security Controls for Effective Cyber Defense v8 https://www.cisecurity.org
CMMC	DoD Cybersecurity Maturity Model Certification v0.6 https://wwwcomplianceforge.com
CSF	Cybersecurity Framework https://www.nist.gov/cyberframework
FERPA	FERPA (PTAC): Data Security Checklist https://studentprivacy.ed.gov/resources/data-security-checklist
GLBA	GLBA “Safeguards Rule” https://www.ftc.gov/enforcement/rules/rulemaking-regulatory-reform-proceedings/safeguards-rule
HIPAA	DHHS Office for Civil Rights | HIPAA Security Rule Crosswalk to NIST Cybersecurity Framework, 45 CFR 160, 162, and 164. https://www.hhs.gov/sites/default/files/nist-csf-to-hipaa-security-rule-crosswalk-02-22-2016-final.pdf
ISO/IEC 27001	Information Technology - Security Techniques… Requirements https://www.iso.org/standards/54534.html
Privacy Framework	NIST Privacy Framework: A Tool for Improving Privacy Through Enterprise Risk Management https://nist.gov/privacy-framework
NIST SP 800-53	NIST SP 800-53 Rev4, Security and Privacy Controls https://csrc.nist.gov/publications/sp800
NIST SP 800-171	NIST SP 800-171 Rev. 1 Informative Reference Details https://www.nist.gov/nist-sp-800-171-rev-1-informative-reference-details-OR- https://www.nist.gov/document/csf-sp800-171mappingxlsx
PCI DSS 3.2.1	Map

APPENDIX B: ACRONYMS (COMMON ABBREVIATIONS)

CIS	Center for Internet Security
CMMC	Cybersecurity Maturity Model Certification
CSF	Cybersecurity Framework
FERPA	Family Educational Rights and Privacy Act
FSA	Federal Student Aid
GLBA	Gramm-Leach-Bliley Act
HIPAA	Health Insurance Portability and Accountability Act
IEC	International Electrotechnical Commission
IHE	Institutes of Higher Education
ISO/	International Organization for Standardization
NIST	National Institute of Standards and Technology
PCI DSS	Payment Card Industry Data Security Standard
PTAC	Privacy Technical Assistance Center
SP	Special Publication